
Veneer Edge Material Ascona



08/2024 | 2F E



08/2024 | 2F EN 18

Ascona

Product Description

- 'Ascona' is intended for further processing into interior elements and can be used by interior designers and carpenters.
- Ascona is supplied in individual sheets of veneer or on a roll and is designed as an edging material.
- In addition to oak in one of our Terra & Mineral colour schemes, Schotten & Hansen interior products are also available in other wood species or custom colours.
- As our ready-to-finish interior products are further processed, it is recommended that they are maintained or finished by a trained professional after installation.
- The application of surface-finished veneers requires special handling of the material. The necessary skills can be taught by Schotten & Hansen in advance and can be found in the application instructions.

Product Information

| Applications for edge banding | |
|---|--|
| Oak veneeredge material with Schotten & Hansen surface | |
| Other wood species are possible on request | |
| Formatted as single sheets, length 2,950 mm. | |
| On a roll, length from 500 m. | |
| Ascona on a mother roll is available on request up to approx. 24 cm width. | |
| 23 mm | |
| 0.7 mm (± 0.1 mm) | |
| 0.6 mm sliced veneer top layer | |
| Two-layer construction | |
| Vapour permeable Schotten & Hansen surface | |
| Surface treatment with natural oils, resins and waxes | |
| Avoid strong acids and alkalis | |
| In the application description for veneer products you will find our recommendations for | |
| further processing | |
| Schotten & Hansen cleaning and maintenance products are recommended | |
| For further information, please refer to the cleaning and maintenance instructions or contact | |
| our service department: service@schotten-hansen.com | |
| Schotten & Hansen wood products are recyclable according to the waste wood regulation | |
| | |

¹Dimensions may vary slightly due to production.

All information in the data sheet as well as our further advice and consultation on application/use is based on emperical and scientific experiences. Therefore, these are provided without obligation or guarantee. Measurements may vary for production-related reasons. Due to the multitude of materials and different processing conditions, it is obligatory on the purchaser to verify the product's suitability for the requested purpose prior to the start of production.



08/2024 | 2F EN 18

Ascona

Terra & Mineral

| | Terra | Mineral |
|-----|----------------------|---------|
| I | | |
| II | Harrist Hall Carling | |
| III | | |
| IV | | |
| V | | |

Customised colours on request.

Selection

1. Fine Rift, characterised by veneer sheets (approx. 70-160 mm) joined in a board character, with predominantly straight grain, free of sapwood and moon rings.

Fine selection in principle knot-free

Treatment

1. Brushed The wood's typical grain structure is accentuated through brushing

Construction



Differences in colour between products is subject to variations and display exhibits or samples, as far as these are due to the natural quality of the used material as well as customary.

All information in the data sheet as well as our further advice and consultation on application/use is based on emperical and scientific experiences. Therefore, these are provided without obligation or guarantee. Measurements may vary for production-related reasons. Due to the multitude of materials and different processing conditions, it is obligatory on the purchaser to verify the product's suitability for the requested purpose prior to the start of production.

